

d-COLOR

MF452^{PLUS} - MF552^{PLUS}

ENVIRONMENTAL INFO

D-COLOR MF452PLUS

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	9.0A
Power consumption (Max.)	2000 W
Power consumption (Printing)	840W
Power consumption (Sleep mode)	1,3W
Power consumption (Power saving mode)	42W
Power consumption (Off mode)	0,03W
TEC (Typical Electricity Consumption) kWh/week	2,94 kWh/week
Power consumption in networked stand-by - Ethernet	22,823W
Power consumption in networked stand-by -WiFi (*)	22,237W
Power consumption in networked stand-by - USB	22,281W
Power consumption in networked stand-by - Fax (*)	22,243W
Power consumption in networked stand-by	22,883W
Networked stand-by mode switch time	20 min.
Heat emission	59,7 BTU/h
Noise level in stand-by	39,7 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	64,7 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	1,42mg/h RAL UZ 171
Benzene emission	0,048mg/h RAL UZ 171
Fine dust emission	2,13mg/h RAL UZ 171
Styrene emission	0,299mg/h RAL UZ 171
TVOC emission	8,064mg/h RAL UZ 171

D-COPIA MF522 PLUS

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	9.0A
Power consumption (Max.)	2000 W
Power consumption (Printing)	1033W
Power consumption (Sleep mode)	1,4W
Power consumption (Power saving mode)	80W
Power consumption (Off mode)	0,03W
TEC (Typical Electricity Consumption) kWh/week	3,52 kWh/week
Power consumption in networked stand-by - Ethernet	13,646W
Power consumption in networked stand-by -WiFi (*)	18,227W
Power consumption in networked stand-by - USB	17,847W
Power consumption in networked stand-by - Fax (*)	1,627W
Power consumption in networked stand-by	18,162W
Networked stand-by mode switch time	20 min.
Heat emission	71,5 BTU/h
Noise level in stand-by	41,1 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	67,5 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	1,47mg/h RAL UZ 171
Benzene emission	0,048mg/h RAL UZ 171
Fine dust emission	1,60mg/h RAL UZ 171
Styrene emission	0,499mg/h RAL UZ 171
TVOC emission	7,846mg/h RAL UZ 171
