



# d-COLOR

MF254 - MF304 - MF364

## ENVIRONMENTAL INFO

### D-COLOR MF254

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	8.0 A
Power consumption (Max.)	2000 W
Power consumption (Printing)	570W
Power consumption (Sleep mode)	0,6W
Power consumption (Power saving mode)	33,1W
Power consumption (Off mode)	0,01W
TEC (Typical Electricity Consumption) kWh/week	1.225
Power consumption in networked stand-by - Ethernet	0,62
Power consumption in networked stand-by - WiFi (*)	5,89
Power consumption in networked stand-by - USB	4,58
Power consumption in networked stand-by - Fax (*)	0,71
All networks	6,40
Networked stand-by mode switch time	20 min.
Heat emission	32,5 BTU/h
Noise level in stand-by	41,0 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	62,5 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	0,11mg/h RAL UZ 171
Benzene emission	0,009mg/h RAL UZ 171
Fine dust emission	1,33mg/h RAL UZ 171
Styrene emission	0,339mg/h RAL UZ 171
TVOC emission	2,831mg/h RAL UZ 171



---

## D-COLOR MF304

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	8.0 A
Power consumption (Max.)	2000 W
Power consumption (Printing)	580W
Power consumption (Sleep mode)	0,6W
Power consumption (Power saving mode)	32,1W
Power consumption (Off mode)	0,01W
TEC (Typical Electricity Consumption) kWh/week	1,57
Power consumption in networked stand-by - Ethernet	0,62
Power consumption in networked stand-by - WiFi (*)	5,85
Power consumption in networked stand-by - USB	4,61
Power consumption in networked stand-by - Fax (*)	0,72
All networks	6,46
Networked stand-by mode switch time	20 min.
Heat emission	32,5 BTU/h
Noise level in stand-by	41,0 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	62,6 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	0,15mg/h RAL UZ 171
Benzene emission	0,015mg/h RAL UZ 171
Fine dust emission	1,54mg/h RAL UZ 171
Styrene emission	0,612mg/h RAL UZ 171
TVOC emission	5,664mg/h RAL UZ 171

---



## D-COLOR MF364

Power requirements	220÷240 Volt, 50/60 Hz
Rated Current	8.0 A
Power consumption (Max.)	2000 W
Power consumption (Printing)	660W
Power consumption (Sleep mode)	0,6W
Power consumption (Power saving mode)	35,0W
Power consumption (Off mode)	0,01W
TEC (Typical Electricity Consumption) kWh/week	1.845
Power consumption in networked stand-by - Ethernet	0,62
Power consumption in networked stand-by - WiFi (*)	5,24
Power consumption in networked stand-by - USB	4,61
Power consumption in networked stand-by - Fax (*)	0,70
All networks	6,42
Networked stand-by mode switch time	20 min.
Heat emission	36,6 BTU/h
Noise level in stand-by	38,0 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	63,3 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	0,11mg/h RAL UZ 171
Benzene emission	0,015mg/h RAL UZ 171
Fine dust emission	1,54mg/h RAL UZ 171
Styrene emission	0,612mg/h RAL UZ 171
TVOC emission	5,664mg/h RAL UZ 171