

d-COPIA

3500MF^{PLUS} - 4500MF^{PLUS} - 5500MF^{PLUS}

ENVIRONMENTAL INFO

D-COPIA 3500MF PLUS

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	7,2A
Power consumption (Max.)	1800 W
Power consumption (Printing)	660W
Power consumption (Off mode)	1,8W
Power consumption (Power saving mode)	170W
Power consumption (Off mode)	0,1W
TEC (Typical Electricity Consumption)	2,527 kWh/week
Power consumption in networked stand-by - Ethernet	1,6W
Power consumption in networked stand-by	1,6W
Networked stand-by mode switch time	20 min.
Noise level in stand-by	47,9 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	66,5 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,006 mg/h RAL UZ 171
Fine dust emission	0,56 mg/h RAL UZ 171
Styrene emission	0,45 mg/h RAL UZ 171
TVOC emission	6,5 mg/h RAL UZ 171

D-COPIA 4502MF PLUS

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	7,2A
Power consumption (Max.)	1800W
Power consumption (Printing)	780W
Power consumption (Off mode)	1,8W
Power consumption (Power saving mode)	170W
Power consumption (Off mode)	0,1W
TEC (Typical Electricity Consumption)	3,399 kWh/week
Power consumption in networked stand-by - Ethernet	1,6W
Power consumption in networked stand-by	1,6W
Networked stand-by mode switch time	20 min.
Noise level in stand-by	51,7 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	67,8 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,006 mg/h RAL UZ 171
Fine dust emission	0,84 mg/h RAL UZ 171
Styrene emission	0,61 mg/h RAL UZ 171
TVOC emission	7,6 mg/h RAL UZ 171

D-COPIA 5500MF PLUS

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	7,2A
Power consumption (Max.)	1800W
Power consumption (Printing)	890W
Power consumption (Off mode)	1,8W
Power consumption (Power saving mode)	170W
Power consumption (Off mode)	0,1W
TEC (Typical Electricity Consumption)	4,253 kWh/week
Power consumption in networked stand-by - Ethernet	1,6W
Power consumption in networked stand-by	1,6W
Networked stand-by mode switch time	20 min.
Noise level in stand-by	48,3 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in copying	69,1 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,006 mg/h RAL UZ 171
Fine dust emission	0,84 mg/h RAL UZ 171
Styrene emission	0,61 mg/h RAL UZ 171
TVOC emission	7,1 mg/h RAL UZ 171